



# POLVEN Slide pole

\* HS CODE: 761699

## Specification



### • Material

- Pipe(AL-6N01) / Cap(ZNDC2)

### • Size



#### **2,100mm (Three-tiered pipe)**

- Pitching Size: 1,650mm ~ 2,100mm (Except 4cm of pin length)
- Storage Size: 917mm (Include 4cm of pin length)
- Weight: 0.69kg



#### **2,800mm (Four-tiered pipe)**

- Pitching Size: 2,350mm ~ 2,800mm (Except 4cm of pin length)
- Storage Size: 997mm (Include 4cm of pin length)
- Weight: 0.98Kg

### • Color

Black, Titan, Red, Silver

\* Colors can be customized

## 1 Strong Durability



- Octagonal surfaces support each other and have strong durability despite their thin thickness.
- The shot blast process enhances aesthetics by trimming the aluminum surface and sharp edges.
- Compared to conventional circular poles, it can support more than 2.5 times the load. (It can withstand loads up to 267kg.)

## 2 Convenient height adjustment method



- When adjusting the height of the poles, it can be adjusted in height without pressing the buttons. That is, the height of poles can be adjusted by raising and lowering the outer pipe.
- It takes less time and labor to adjust the height of the pole because of convenient height adjustment.
- There are no safety issues such as fingers getting caught in button holes.

## 3 Height markings at 5cm intervals



- Height is marked in 5cm increments below the button hole, allowing you to easily identify the pitching size at a glance.

## 4 Multi-purpose upper/lower cap



- The upper / lower caps are made by die-casting method to enhance durability and minimize corrosion problems.
- Tabs in the middle of the cap allow attachment and detachment of various parts, including pins. (Increased utilization of poles)
- It's more aesthetic than conventional rubber caps.

# POLVEN foldable slide pole

\* HS CODE: 761699

## Specification



- **Material**

- Pipe(AL-6N01) / Cap(ZNDC2)

- **Size**



### 2,100mm (Four-tiered pipe)

- Pitching Size: 1,800mm ~ 2,100mm (Except 4cm of pin length)
- Storage Size: 620mm (Include 4cm of pin length)
- Weight: 0.5kg



### 2,500mm (Four-tiered pipe)

- Pitching Size: 2,100mm ~ 2,500mm (Except 4cm of pin length)
- Storage Size: 720mm (Include 4cm of pin length)
- Weight: 0.6Kg

- **Color**

Black, Titan, Red, Silver

\* Colors can be customized

## Characteristic

### 1 Strong Durability



- Octagonal surfaces support each other and have strong durability despite their thin thickness.
- The shot blast process enhances aesthetics by trimming the aluminum surface and sharp edges.
- Compared to conventional circular poles, it can support more than 2.5 times the load.

### 2 Convenient height adjustment method



- When adjusting the height of the poles, it can be adjusted in height without pressing the buttons. That is, the height of poles can be adjusted by raising and lowering the outer pipe.
- It takes less time and labor to adjust the height of the pole because of convenient height adjustment.
- There are no safety issues such as fingers getting caught in button holes.
- Height is marked in 5cm increments below the button hole, allowing you to easily identify the pitching size at a glance.

### 3 Multi-purpose upper/lower cap



- The upper / lower caps are made by die-casting method to enhance durability and minimize corrosion problems.
- Tabs in the middle of the cap allow attachment and detachment of various parts, including pins. (Increased utilization of poles)
- It's more aesthetic than conventional rubber caps.